

ROADX
TYRE

PASSENGER & LIGHT TRUCK TYRES

CATALOGUE



 WWW.ROADXTYRE.COM

SUMMER

PASSENGER	H11	06
	H12	08
	NEW! PERFORMA	10
	U11	12
	DU71	16
	RUN FLAT		
	U11 / SU01 / H12	18
	RT01	20

SUV	SU01	22
	NEW! SPORT SUV	24
	H/T01	26
	H/T02	28

VAN / COMMERCIAL	C01	30
	C02	32
	NEW! CARGOMAX	34

4X4

OFF ROAD	AT21	36
	M/T	38

ALL SEASON

PASSENGER	4S	40
-----------	----	-------	----

VAN / COMMERCIAL	VAN 4S	42
------------------	--------	-------	----


WINTER

PASSENGER	WU01	44
	ARCTIC	46
	WH01	48
	WH03	50
	WH12	52


VAN / COMMERCIAL	WC01	54
	WCS01	56

RXMOTION

PRODUCT POSITIONING




PRODUCT POSITIONING



RXFROST

PRODUCT POSITIONING



ROADX-WINTER

H11

HP

Designed with eco-friendly compounds to improve fuel efficiency and service life.



ECONOMICAL



HANDLING



COMFORT



DRAINAGE



HANDLING

Closed shoulder design strengthens shoulder blocks for superior handling performance.



WET PERFORMANCE

Main tread grooves and sipes effectively drain water to improve grip and safety on wet roads.

HANDLING

Two central ribs and solid shoulder blocks improve handling for greater driving stability.



ROAD X TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	145/80R13	75	T			D	C	70	B			444202
13	155/65R13	73	T			D	B	70	B			444186
13	155/70R13	75	T			D	C	70	B			444226
13	155/80R13	79	T			D	C	70	B			444254
13	165/65R13	77	T			D	C	70	B			444248
13	165/70R13	79	T			D	C	70	B			444267
13	165/70R13	83	T		XL	D	C	71	B			461813
13	165/80R13	83	T			D	C	70	B			461815
13	175/70R13	82	T			D	C	70	B			444290
13	185/70R13	86	T			D	C	70	B			461829
14	155/65R14	75	T			D	C	70	B			444216
14	165/60R14	75	H			D	C	70	B			444236
14	165/65R14	79	T			D	C	70	B			444260
14	165/70R14	85	T		XL	D	C	71	B			461803
14	165/70R14	81	T			D	C	70	B			444273
14	165/80R14	85	T			D	C	70	B			461818
14	175/65R14	86	T		XL	D	C	71	B			461710
14	175/65R14	82	T			D	C	70	B			444281
14	175/70R14	88	T		XL	D	B	71	B			461745
14	175/70R14	84	T			D	C	70	B			461844
14	185/60R14	82	H			D	C	70	B			444299
14	185/65R14	86	H			D	C	70	B			461733
14	185/70R14	88	T			D	C	70	B			461806
14	185/70R14	88	H			D	C	70	B			461848
14	195/60R14	86	H			D	B	71	B			461826
14	195/65R14	89	H			D	B	71	B			461819
14	195/70R14	91	T			D	B	71	B			461808
15	165/60R15	77	H			D	C	70	B			461840

H12

HP

Designed for safety and performance on both wet and dry roads.



HANDLING



COMFORT



DRAINAGE



SILENCE




HIGH-SPEED PERFORMANCE

Asymmetric pattern design maximizes the tyre's footprint for greater cornering and high-speed driving stability on dry roads.



DRIVING SAFETY

Tread groove design effectively drains water and disperses heat.



WET PERFORMANCE

Tread sipes effectively break through water film to improve handling and grip on wet roads.



ROAD X TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	185/55R14	80	V			D	B	70	B			444569
14	205/70R14	98	T		XL	C	C	71	B			444583
15	165/65R15	81	H			D	C	70	B			444599
15	175/55R15	77	H			D	C	70	B			444341
15	175/65R15	88	H		XL	D	C	71	B			444730
15	175/65R15	84	H			D	C	70	B			444986
15	175/65R15	84	T			D	C	70	B			444279
15	185/55R15	82	V			D	B	70	B			444752
15	185/60R15	88	H		XL	D	B	71	B			444512
15	185/60R15	84	H			D	B	70	B			444999
15	185/65R15	92	H		XL	C	B	71	B			444518
15	185/65R15	88	H			D	B	70	B			445013
15	195/45R15	78	W			D	C	71	B			444653
15	195/50R15	82	V			D	C	71	B			444626
15	195/55R15	85	V			D	C	71	B			444505
15	195/60R15	88	H			D	C	71	B			444524
15	195/60R15	88	V			D	C	71	B			445062
15	195/65R15	91	V			D	C	71	B			444530
15	195/65R15	95	H		XL	C	B	71	B			444897
15	195/65R15	91	H			D	C	71	B			445081
15	205/50R15	89	V		XL	D	C	71	B			444643
15	205/60R15	95	V		XL	C	C	71	B			444826
15	205/65R15	94	V			C	C	71	B			444539
15	205/70R15	96	H			C	C	71	B			444589
15	215/60R15	98	V		XL	C	C	71	B			444842
15	215/65R15	96	V			C	C	71	B			444609
15	215/70R15	98	H			C	C	71	B			444594
15	225/60R15	96	V			C	C	71	B			444619
16	175/60R16	82	H			D	C	70	B			726004
16	185/55R16	83	V			D	B	70	B			444781
16	185/55R16	87	V		XL	D	B	70	B			444296
16	185/60R16	86	H			D	C	70	B			726008
16	195/45R16	84	W		XL	D	C	71	B			444812
16	195/45R16	84	V		XL	D	C	71	B			444317
16	195/50R16	88	V		XL	D	C	71	B			444799
16	195/55R16	91	V		XL	D	C	71	B			444879
16	195/55R16	87	V			D	C	71	B			445049
16	195/60R16	89	V			D	C	71	B			444546
16	205/45R16	87	W		XL	D	C	71	B			444500
16	205/55R16	91	V			D	C	71	B			444699
16	205/55R16	94	V		XL	C	C	71	B			445091
16	205/60R16	96	V		XL	C	C	71	B			444550
16	205/60R16	92	V			C	C	71	B			445103
16	205/65R16	95	H			C	C	71	B			444564
16	215/60R16	95	V			C	C	71	B			444556
16	215/60R16	99	V		XL	C	C	71	B			444321
16	215/65R16	98	H			C	C	71	B			444852
16	225/60R16	102	V		XL	C	C	71	B			444866
16	235/60R16	100	V			C	C	71	B			444327
17	215/65R17	103	V		XL	C	C	71	B			726014
18	215/55R18	99	V		XL	C	C	71	B			445143

NEW!

PERFORMA

HP

All round performance that lasts.



HANDLING



COMFORT



DRAINAGE



SILENCE



IMPROVED WEAR AND LONGER MILEAGE

Compound effectively balances wear resistance and rolling resistance performance while improving tyre grip.

OPTIMISED FUEL AND ENERGY CONSUMPTION

Upgraded compound effectively balances wear resistance and rolling resistance performance. Fuel efficiency improved by 30%¹ vs previous generation.

EXCEPTIONAL WET GRIP PERFORMANCE

Four wide longitudinal grooves and horizontal grooves on the shoulders can quickly evacuate water and provide excellent anti-slip performance. The lateral grooves and grooves on the shoulders can quickly disperse water to ensure the tyre can effectively contact the ground and reduce wet braking distance.



Optimized footprint improve handling and wet braking, moderate contact patch and provide sufficient grip while ensuring drainage performance.

Disclaimers 1. Selective sizes only

ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	185/55R14	80	V							N	N	
15	165/65R15	81	H							N	N	
15	175/65R15	88	H		XL					N	N	
15	175/65R15	84	H							N	N	
15	185/55R15	82	V							N	N	
15	185/60R15	88	H		XL					N	N	
15	185/60R15	84	H							N	N	
15	185/65R15	92	H		XL					N	N	
15	185/65R15	88	H							N	N	
15	195/50R15	82	V							N	N	
15	195/55R15	85	V							N	N	
15	195/60R15	88	H							N	N	
15	195/60R15	88	V							N	N	
15	195/65R15	91	V							N	N	
15	195/65R15	95	H		XL					N	N	
15	195/65R15	91	H							N	N	
15	175/55R15	77	H							N	N	
15	205/60R15	95	V		XL					N	N	
15	205/65R15	94	V							N	N	
15	205/70R15	96	H							N	N	
15	215/65R15	96	V							N	N	
16	185/55R16	83	V							N	N	
16	185/55R16	87	V		XL					N	N	
16	195/55R16	91	V		XL					N	N	
16	195/55R16	87	V							N	N	
16	205/55R16	91	V							N	N	
16	205/55R16	94	V		XL					N	N	
16	205/60R16	96	V		XL					N	N	
16	205/60R16	92	V							N	N	
16	235/60R16	100	V							N	N	
16	195/45R16	84	W		XL					N	N	
16	195/45R16	84	V		XL					N	N	
16	195/50R16	88	V		XL					N	N	
16	195/60R16	89	V							N	N	
16	205/45R16	87	W		XL					N	N	
16	205/65R16	95	H							N	N	
16	215/60R16	95	V							N	N	
16	215/60R16	99	V		XL					N	N	
16	215/65R16	98	H							N	N	
16	225/60R16	102	V		XL					N	N	
17	205/55ZR17	95	Y		XL					N	N	
17	215/65R17	103	V		XL					N	N	
17	215/55R17	98	W		XL					N	N	
18	215/55R18	99	V		XL					N	N	

Available soon

U11

UHP

Innovative high performance tyre that combines comfort and fuel economy.



ECONOMICAL



HANDLING



SILENCE



RIM PROTECTION



ANTI-SKID



FUEL ECONOMY

The tread compound effectively reduces rolling resistance for greater fuel economy.



DRIVING COMFORT

The varied pitch design better absorbs vibrations to improve driving comfort.

OVERALL PERFORMANCE

The asymmetric tread pattern improves grip and handling for more responsive steering and braking.



WET PERFORMANCE

Tread pattern design effectively expels water to allow for greater grip and handling on wet roads.



ROAD X TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	185/45ZR15	75	Y			D	C	70	B			446046
16	205/50ZR16	87	W			D	C	71	B			444869
16	205/55ZR16	94	W		XL	D	C	72	B			444834
16	215/45ZR16	90	Y		XL	D	C	72	B			445780
16	215/55ZR16	97	W		XL	D	C	72	B			444846
16	225/55ZR16	99	Y		XL	D	C	72	B			446085
17	185/45ZR17	82	Y		XL	D	C	71	B			446055
17	195/40ZR17	81	Y		XL	D	C	72	B			445801
17	195/45ZR17	85	Y		XL	D	C	72	B			445846
17	205/40ZR17	84	W		XL	D	C	71	B			445756
17	205/45ZR17	88	W		XL	D	C	72	B			445033
17	205/50ZR17	93	W		XL	D	C	72	B			445752
17	205/55ZR17	95	Y		XL	D	C	71	B			445789
17	215/40ZR17	87	Y		XL	D	C	72	B			445792
17	215/45ZR17	91	W		XL	D	C	72	B			446090
17	215/50ZR17	95	W		XL	D	C	72	B			445753
17	215/55ZR17	94	W			D	C	71	B			445757
17	215/55ZR17	98	W		XL	D	C	71	B			444777
17	225/45ZR17	94	W		XL	D	C	72	B			445754
17	225/50ZR17	98	W		XL	D	C	72	B			444943
17	225/55ZR17	101	W		XL	D	C	72	B			444981
17	235/45ZR17	97	W		XL	D	C	72	B			445010
17	235/50ZR17	100	Y		XL	C	C	72	B			445877
17	245/40ZR17	95	W		XL	D	C	71	B			445759
17	245/45ZR17	99	Y		XL	C	C	71	B			445805
18	215/35ZR18	84	Y		XL	D	C	72	B			445796
18	215/40ZR18	89	Y		XL	D	C	72	B			445809
18	215/45ZR18	93	Y		XL	D	C	72	B			445851
18	225/35ZR18	87	Y		XL	D	C	72	B			445863
18	225/40ZR18	92	W		XL	D	C	71	B			445760
18	225/45ZR18	95	W		XL	D	C	72	B			445761
18	235/35ZR18	90	Y		XL	D	C	71	B			445871
18	235/40ZR18	95	W		XL	D	C	71	B			445762
18	235/45ZR18	98	Y		XL	D	C	72	B			445813

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

U11

UHP

Innovative high performance tyre that combines comfort and fuel economy.



ECONOMICAL



HANDLING



SILENCE



RIM PROTECTION



ANTI-SKID

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
18	235/50ZR18	101	W		XL	B	C	72	B			446096
18	245/35ZR18	92	Y		XL	D	C	71	B			445887
18	245/40ZR18	97	Y		XL	D	C	71	B			445763
18	245/45ZR18	100	W		XL	C	C	71	B			445764
18	245/45ZR18	100	Y		XL	C	C	71	B			446079
18	245/50R18	104	V		XL	B	C	72	B			601420
18	255/35ZR18	94	Y		XL	D	C	73	B			445767
18	255/40ZR18	99	Y		XL	D	C	73	B			445907
18	255/45ZR18	103	Y		XL	C	C	73	B			445857
18	265/35ZR18	97	Y		XL	C	C	73	B			445965
18	275/40ZR18	103	Y		XL	C	C	73	B			445816
19	205/55R19	97	V		XL	C	C	71	B			725595
19	215/35ZR19	85	Y		XL	D	C	72	B			445973
19	225/35ZR19	88	Y		XL	D	C	72	B			445929
19	225/40ZR19	93	Y		XL	D	C	72	B			445917
19	235/35ZR19	91	Y		XL	D	C	71	B			445765
19	235/40ZR19	96	Y		XL	C	C	71	B			445940
19	235/45ZR19	99	Y		XL	C	C	72	B			445984
19	245/35ZR19	93	Y		XL	D	C	71	B			445766
19	245/40ZR19	98	Y		XL	D	C	71	B			445778
19	245/45ZR19	102	Y		XL	C	C	71	B			445979
19	255/30ZR19	91	Y		XL	D	C	73	B			445981
19	255/35ZR19	96	Y		XL	D	C	73	B			445768
19	255/45ZR19	104	W		XL	C	C	72	B			444673
19	255/50ZR19	107	Y		XL	C	C	73	B			445769
19	265/30ZR19	93	Y		XL	D	C	73	B			445776

ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
19	265/35ZR19	98	Y		XL	C	C	73	B			446008
19	275/30ZR19	96	Y		XL	D	C	73	B			445770
19	275/35ZR19	100	Y		XL	C	C	73	B			445771
19	275/40ZR19	105	Y		XL	C	C	73	B			445952
19	275/45ZR19	108	Y		XL	C	C	73	B			446015
19	285/30ZR19	98	Y		XL	C	C	73	B			725627
19	285/45ZR19	111	Y		XL	C	C	73	B			445774
20	195/55R20	95	H		XL	C	C	71	B			725646
20	245/35ZR20	95	Y		XL	D	C	71	B			445990
20	245/40ZR20	99	Y		XL	C	C	71	B			445976
20	255/35ZR20	97	Y		XL	D	C	73	B			445996
20	255/40ZR20	101	Y		XL	C	C	73	B			446002
20	265/35ZR20	99	Y		XL	C	C	73	B			730326
20	265/50ZR20	111	Y		XL	C	C	73	B			446063
20	275/35ZR20	102	Y		XL	C	C	73	B			446022
20	275/40ZR20	106	Y		XL	C	C	73	B			445772
20	275/45ZR20	110	Y		XL	B	C	73	B			444733
20	285/30ZR20	99	Y		XL	C	C	73	B			725882
20	295/35ZR20	105	Y		XL	C	C	73	B			446030
20	315/35ZR20	110	Y		XL	C	C	73	B			445777
21	275/30ZR21	98	Y		XL	C	C	73	B			725932
21	275/35ZR21	103	Y		XL	C	C	73	B			725987
21	285/35ZR21	105	Y		XL	C	C	73	B			445773
21	295/35ZR21	107	Y		XL	C	C	73	B			445775
21	325/30ZR21	108	Y		XL	C	C	73	B			444815
22	265/40ZR22	106	Y		XL	C	C	73	B			444705

DU71

UHP

Innovative high performance tyre that combines comfort and fuel economy.



ECONOMICAL



HANDLING



SILENCE



RIM PROTECTION



ANTI-SKID



FUEL ECONOMY

The tread compound effectively reduces rolling resistance for greater fuel economy.



DRIVING COMFORT

The varied pitch design better absorbs vibrations to improve driving comfort.

OVERALL PERFORMANCE

The asymmetric tread pattern improves grip and handling for more responsive steering and braking.



Tread pattern design effectively expels water to allow for greater grip and handling on wet roads.



ROAD X TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
16	215/55ZR16	97	W		XL	C	A	71	B	N	N	
16	225/55ZR16	99	W		XL	C	A	71	B	N	N	
16	205/55ZR16	91	Y			C	A	71	B	N	N	
16	205/55ZR16	94	Y		XL	C	A	71	B	N	N	
17	215/45ZR17	91	Y		XL	C	A	71	B	N	N	
17	215/50ZR17	95	W		XL	C	A	71	B	N	N	
17	215/55ZR17	98	W		XL	C	A	71	B	N	N	
17	225/45ZR17	94	Y		XL	C	A	71	B	N	N	
17	225/50ZR17	98	W		XL	C	A	71	B	N	N	
17	225/55ZR17	101	W		XL	C	A	71	B	N	N	
17	235/45ZR17	97	Y		XL	C	A	71	B	N	N	
17	205/40ZR17	84	Y		XL	C	A	71	B	N	N	
17	205/45ZR17	88	W		XL	C	A	71	B	N	N	
17	205/50ZR17	93	W		XL	C	A	71	B	N	N	
17	235/50ZR17	100	W		XL	C	A	71	B	N	N	
17	245/45ZR17	99	Y		XL	C	A	71	B	N	N	
17	215/40ZR17	87	Y		XL	C	A	71	B	N	N	
18	225/45ZR18	95	Y		XL	C	A	71	B	N	N	
18	235/45ZR18	98	Y		XL	C	A	71	B	N	N	
18	245/40ZR18	97	Y		XL	C	A	71	B	N	N	
18	245/45ZR18	100	Y		XL	C	A	71	B	N	N	
18	225/50ZR18	99	Y		XL	C	A	71	B	N	N	
18	235/50ZR18	101	Y		XL	C	A	71	B	N	N	
18	215/50ZR18	96	W		XL	C	A	71	B	N	N	
18	225/40ZR18	92	Y		XL	C	A	71	B	N	N	
18	235/40ZR18	95	Y		XL	C	A	71	B	N	N	
18	255/35ZR18	94	Y		XL	C	A	71	B	N	N	
18	255/45ZR18	103	Y		XL	C	A	71	B	N	N	
18	265/35ZR18	97	Y		XL	C	A	71	B	N	N	
18	215/45ZR18	93	Y		XL	C	A	71	B	N	N	
18	275/40ZR18	103	Y		XL	C	A	71	B	N	N	
18	215/40ZR18	89	Y		XL	C	A	71	B	N	N	
19	245/45ZR19	102	Y		XL	C	A	71	B	N	N	
19	255/45ZR19	104	Y		XL	C	A	71	B	N	N	
19	225/45ZR19	96	Y		XL	C	A	71	B	N	N	
19	285/40ZR19	107	Y		XL	C	A	73	B	N	N	
19	285/30ZR19	98	Y		XL	C	A	73	B	N	N	
19	255/35ZR19	96	Y		XL	C	A	71	B	N	N	
19	235/45ZR19	99	Y		XL	C	A	71	B	N	N	
19	225/40ZR19	93	Y		XL	C	A	71	B	N	N	
19	235/40ZR19	96	Y		XL	C	A	71	B	N	N	
19	235/35ZR19	91	Y		XL	C	A	71	B	N	N	
19	245/40ZR19	98	Y		XL	C	A	71	B	N	N	
19	255/40ZR19	100	Y		XL	C	A	71	B	N	N	
19	275/35ZR19	100	Y		XL	C	A	71	B	N	N	
19	275/40ZR19	105	Y		XL	C	A	71	B	N	N	
19	265/35ZR19	98	Y		XL	C	A	71	B	N	N	
19	245/35ZR19	93	Y		XL	C	A	71	B	N	N	
20	275/45ZR20	110	Y		XL	C	A	71	B	N	N	
20	315/35ZR20	110	Y		XL	C	A	73	B	N	N	
20	245/30ZR20	90	Y		XL	C	A	71	B	N	N	
20	305/40ZR20	112	Y		XL	C	A	73	B	N	N	
20	245/35ZR20	95	Y		XL	C	A	71	B	N	N	
20	235/45ZR20	100	W		XL	C	A	71	B	N	N	
20	245/40ZR20	99	Y		XL	C	A	71	B	N	N	
20	245/45ZR20	103	Y		XL	C	A	71	B	N	N	
20	255/40ZR20	101	Y		XL	C	A	71	B	N	N	
20	275/35ZR20	102	Y		XL	C	A	71	B	N	N	
20	275/40ZR20	106	Y		XL	C	A	71	B	N	N	
20	255/45ZR20	105	Y		XL	C	A	71	B	N	N	
20	255/35ZR20	97	Y		XL	C	A	71	B	N	N	
20	275/30ZR20	97	Y		XL	C	A	71	B	N	N	
RXMOTION DU71 EV												
18	235/45ZR18	98	W		XL	B	A	70	B	N	N	
20	255/40ZR20	101	W		XL	B	A	70	B	N	N	

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

RUN -FLAT TECHNOLOGY

RUN-FLAT TECHNOLOGY GREATER SAFETY
U11 RFT / SU01 RFT / H12 RFT




U11 RFT



SU01 RFT




H12 RFT



RFT Product Features

1. No more delays or being stranded on remote highways due to a flat tyre. RFT products will continue to drive at up to 80 KPH without having to be replaced immediately.
2. Helps to avoid accidents caused by the loss of control from punctures or air leaks, increasing overall safety.
3. Even when the tyre begins leaking air you can drive to your local tyre dealer to have it repaired. RFT technology also means there is no need to carry a spare which helps increase storage space within the vehicle.



Run-flat tyres (RFT), also known as “self-supporting run-flat tyres,” are an important safety feature for any vehicle. A Run-flat tyre is built with a thicker sidewall to help support the tyre shape after losing air. This allows the tyre to continue to run safely, but at a limited speed and mileage. When normal tyres are punctured, they can instantly lead to a severe sidewall collapse; in the event of a collapse, the vehicle loses its only support which can cause the vehicle's center of gravity to change instantaneously. RFT helps to lessen the severity of a flat tyre and allows you to get to the closest destination safely.



ROAD X TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
U11 RFT												
16	205/55ZRF16	94	W		XL	D	C	72	B			444420
16	225/55ZRF16	99	W		XL	D	C	72	B			444463
17	205/45ZRF17	88	W		XL	D	C	72	B			444369
17	205/50ZRF17	93	W		XL	D	C	72	B			444375
17	205/55RF17	91	V			D	C	71	B			444506
17	225/45ZRF17	94	W		XL	D	C	72	B			444345
17	225/50ZRF17	98	W		XL	D	C	72	B			444398
17	225/55ZRF17	101	W		XL	D	C	72	B			444406
18	215/40ZRF18	85	Y			D	C	71	B			444533
18	225/40ZRF18	92	W		XL	D	C	71	B			444390
18	225/45ZRF18	95	W		XL	D	C	71	B			444456
18	245/35ZRF18	92	Y		XL	D	C	72	B			444552
18	245/40ZRF18	97	Y		XL	D	C	72	B			444441
18	245/45ZRF18	100	W		XL	C	C	71	B			444432
18	245/50ZRF18	100	Y			C	C	71	B			444425
18	255/35ZRF18	94	Y		XL	D	C	73	B			444412
19	225/40ZRF19	89	W			D	C	71	B			444540
19	235/45ZRF19	99	W		XL	D	C	72	B			444467
19	245/40ZRF19	98	Y		XL	D	C	71	B			444322
19	245/45ZRF19	102	W		XL	C	C	71	B			444478
19	255/30ZRF19	91	Y		XL	D	C	73	B			444558
19	255/35ZRF19	96	Y		XL	D	C	73	B			444567
19	255/50RF19	103	V			C	C	72	B			444448
19	275/35ZRF19	100	Y		XL	D	C	73	B			444337
19	275/40ZRF19	101	Y			D	C	72	B			444525
20	245/40ZRF20	99	Y		XL	D	C	72	B			1083192
20	275/35ZRF20	102	Y		XL	D	C	72	B			1083180
SU01 RFT												
18	235/50RF18	97	V			D	B	71	B			446069
18	255/55RF18	105	H			D	B	72	B	NO	NO	532164
H12 RFT												
16	195/55RF16	91	V		XL	D	C	71	B			445115

RT01

UHP

The RT01 is designed specifically for racing with a specialized motorsport compound ready to performance on the track.



ECONOMICAL



HANDLING



DRAINAGE



RIM PROTECTION




HIGH-SPEED PERFORMANCE

Optimized tread profile and rim lip design ensure tyre sturdiness for exceptional high-speed performance.



RACE SPECIFIC

The wide shoulder design and central rib structure offer exceptional grip and handling for both cornering and straightaways.



DURABILITY

Tread grooves improve grip and reduce potential damage to the tread when braking hard.



DRY AND WET PERFORMANCE

The inner tread grooves effectively drain water while the outer shoulder grooves focus on improving grip.





ROAD X TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	195/50R15	82	V									
17	225/45ZR17	94	W		XL							
18	235/40ZR18	95	W		XL							
18	265/35ZR18	97	W		XL							

SU01

SUV

Specially designed UHP SUV tyre.



HANDLING



DRAINAGE



SILENCE



BRAKING



HIGH DURABILITY



SUMMER PERFORMANCE

The asymmetric tread pattern improves handling and braking on wet and dry roads.



SAFETY

The center rib design improves traction for greater acceleration and braking responsiveness, overall increasing safety.

DURABILITY

The tread compound is designed specifically to improve wear resistance.

DRIVING COMFORT

Variable tread block pitch and sipe design reduce tyre vibrations offering a more comfortable driving experience.



ROAD X TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
17	235/55R17	103	W		XL	D	B	72	B			445829
18	215/50R18	92	W			D	B	71	B			758052
18	225/50R18	99	Y		XL	C	B	72	B			753219
18	225/55R18	102	W		XL	D	B	72	B			445849
18	225/55R18	102	V		XL	C	B	72	B			445807
18	225/60R18	100	V			D	B	71	B			445862
18	235/50R18	97	V			D	B	71	B			445824
18	235/55R18	104	W		XL	D	B	72	B			445833
18	235/60R18	107	W		XL	C	B	72	B			445839
18	245/60R18	105	V			D	B	71	B			445870
18	255/55R18	109	Y		XL	C	B	72	B			445898
18	255/60R18	112	V		XL	C	B	72	B			445882
18	265/60R18	110	V			C	B	71	B			445873
18	275/40R18	103	W		XL	D	B	71	B			446053
19	225/45R19	96	W		XL	C	B	72	B			446083
19	225/55R19	99	W			C	B	71	B			446077
19	235/55R19	101	W			D	B	71	B			445853
19	245/50R19	105	W		XL	C	B	71	B			725078
19	245/55R19	103	V			D	B	71	B			445820
19	255/55R19	111	Y		XL	C	B	72	B			446010
19	265/50R19	110	Y		XL	C	B	71	B			445908
20	235/50R20	104	Y		XL	C	B	71	B			725103
20	255/40R20	101	Y		XL	D	B	72	B			446047
20	255/45R20	105	Y		XL	C	B	71	B			446088
20	255/50R20	109	Y		XL	B	B	71	B			446093
20	255/55R20	110	Y		XL	C	B	72	B			445890
20	265/50R20	111	Y		XL	C	B	71	B			446001
20	275/35R20	102	W		XL	D	B	71	B			446033
20	275/55R20	117	W		XL	C	B	71	B			445998
20	275/60R20	119	V		XL	C	B	71	B			445943
20	285/40R20	104	Y			D	B	73	B			446026
20	285/50R20	116	W		XL	C	B	73	B			446020
20	295/35R20	105	Y		XL	D	B	73	B			446039
21	245/45R21	104	Y		XL	C	B	71	B			725117
21	255/40R21	102	Y		XL	C	B	71	B			725122
21	265/40R21	105	Y		XL	C	B	71	B			725140
21	265/45R21	108	Y		XL	C	B	71	B			725552
21	275/40R21	107	Y		XL	C	B	73	B			725518
21	275/45R21	110	Y		XL	C	B	71	B			446062
21	285/40R21	109	Y		XL	C	B	73	B			725538
21	315/35R21	111	Y		XL	C	B	73	B			731679
22	265/35R22	102	Y		XL	C	B	71	B			725556
22	285/35R22	106	Y		XL	C	B	73	B			725570
22	285/45R22	114	W		XL	C	B	73	B			445958
22	305/40R22	114	W		XL	C	B	73	B			445812
22	305/45R22	118	W		XL	C	B	73	B			445987

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

RXMOTION

NEW!

SPORT

SUV

Ultra-high-performance tyre Designed for SUV



HANDLING



DRAINAGE



SILENCE



BRAKING



HIGH DURABILITY



TAILORED FOR HIGH-PERFORMANCE SUVs

The RXMOTION SPORT SUV tyre is crafted to accommodate robust, high-performance SUVs

IMPROVED DRY ROAD GRIP AND WET ROAD BRAKING

The new asymmetric pattern design, using rigid large tread block design on the outside, brings excellent dry road grip and cornering ability.

DURABLE TREAD PATTERN FOR EXTENDED LIFE

Improved compound effectively balances wear resistance and rolling resistance performance

NOISE REDUCTION AND ENHANCED DRIVING COMFORT PRIORITIZED IN DESIGN

Tread engineered for noise reduction, and tyre structure optimized to enhance comfort and acoustics

ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
19	225/55R19	103	W		XL					N	N	
19	235/50R19	99	W							N	N	
19	235/55R19	105	W		XL					N	N	
19	255/50R19	107	W		XL					N	N	
19	255/55R19	111	W		XL					N	N	
19	265/50R19	110	W		XL					N	N	
20	235/50R20	104	W		XL					N	N	
20	255/50R20	109	W		XL					N	N	
20	255/55R20	110	W		XL					N	N	
20	265/45R20	108	W		XL					N	N	
20	285/40R20	108	W		XL					N	N	
20	285/45R20	112	W		XL					N	N	
21	275/45R21	110	W		XL					N	N	
21	245/40R21	100	W		XL					N	N	
21	255/35R21	98	W		XL					N	N	
21	265/40R21	105	W		XL					N	N	
21	265/45R21	108	W		XL					N	N	
21	275/35R21	103	W		XL					N	N	
21	275/40R21	107	W		XL					N	N	
21	285/40R21	109	W		XL					N	N	
21	285/45R21	113	W		XL					N	N	
21	295/35R21	107	W		XL					N	N	
21	315/35R21	111	W		XL					N	N	
21	315/40R21	115	W		XL					N	N	
22	265/40R22	106	W		XL					N	N	
22	275/35R22	104	W		XL					N	N	
22	275/40R22	107	W		XL					N	N	
22	285/40R22	110	W		XL					N	N	
22	285/45R22	114	W		XL					N	N	
22	315/30R22	107	W		XL					N	N	

under development

H/T01

SUV

Optimized high performance urban on and off-road pattern suitable for pickups and SUVs with excellent endurance and low noise emissions.



WEAR RESISTANCE



HANDLING



CROSS-COUNTRY



BRAKING



ON & OFF-ROAD PERFORMANCE

The ladder-like design within the tread grooves improves tread strength, handling, and effectively reduces stone retention.

WET PERFORMANCE

Wide grooves effectively drain water for improved grip and handling on wet roads.

DRIVING COMFORT

The precision spaced tread blocks and grooves effectively reduce tyre noise emissions.



ROAD X TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	205/75R14	95	S			D	D	71	B			441439
14	215/75R14	100	S			D	C	71	B			441487
15	205/70R15	96	T			D	D	71	B			441432
15	205/75R15	97	T			D	C	71	B			441454
15	215/70R15	98	T			D	C	71	B			441476
15	215/75R15	100	S			D	C	71	B			441491
15	215/75R15	100	T			D	C	71	B			441495
15	215/75R15	100	T			D	C	71	B			441500
15	225/70R15	100	T			D	C	71	B			441530
15	225/70R15	100	T			D	C	71	B			441533
15	225/75R15	102	T			D	C	71	B			441550
15	225/75R15	102	T			D	C	71	B			441558
15	235/75R15	105	S			D	D	71	B			441605
15	235/75R15	105	T			D	D	71	B			441613
15	235/75R15	105	T			D	D	71	B			441617
16	215/65R16	98	T			D	C	71	B			441465
16	215/65R16	98	H			D	C	71	B	YES		441786
16	215/70R16	100	T			D	C	71	B			441481
16	215/70R16	100	H			D	C	71	B	YES		441740
16	225/70R16	103	T			D	C	71	B			441542
16	235/70R16	106	T			C	C	71	B			441597
16	245/70R16	111	T		XL	C	C	72	B			441666
16	255/70R16	111	T			C	C	72	B			441677
16	265/70R16	112	S			C	C	72	B			441710
17	215/60R17	96	H			D	C	71	B			441460
17	225/65R17	102	S			D	D	71	B			441519
17	225/65R17	102	H			D	D	71	B	YES		441750
17	225/65R17	106	H		XL	D	D	71	B	YES		441758
17	235/65R17	104	V			D	C	72	B	YES		758050
17	245/65R17	107	S			C	C	71	B			441649
17	245/65R17	111	T		XL	C	C	71	B	YES		441807
17	265/65R17	112	S			C	C	72	B			441690
17	265/65R17	112	T			C	C	72	B	YES		441819
17	265/70R17	115	T			C	C	72	B			441721
18	235/60R18	107	H		XL	C	C	72	B			441565
18	235/65R18	106	H			C	C	72	B	YES		737865
18	265/65R18	114	H			C	C	72	B			441697

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

H/T02

SUV

Truck and SUV tyre that offers excellent endurance and handling performance.



WEAR RESISTANCE



HANDLING



DRAINAGE



SILENCE



WET PERFORMANCE

Tread grooves effectively drain water and improve wet traction for overall enhanced safety.

LONGER LIFE

The tread compound is designed for improved wear resistance therefore offering longer tread life.

DRIVING COMFORT

The tread pitch is optimally designed to reduce noise emissions and offer a more comfortable ride.



SUMMER PERFORMANCE

The asymmetric tread pattern improves handling and braking on wet and dry roads.



ROAD X TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	255/70R15	108	T			C	C	72	B			442631
15	265/70R15	112	T			C	C	72	B			442641
16	275/70R16	114	H			C	C	72	B			442996
17	225/60R17	99	H			C	C	71	B			441885
17	235/60R17	102	H			C	C	71	B			442585
17	235/65R17	104	H			C	C	71	B			442596
17	245/70R17	110	T			C	C	71	B			442611
17	255/60R17	106	H			C	C	72	B			442623
17	255/65R17	110	H			C	C	72	B	YES		443016
17	275/65R17	115	H			C	C	72	B			442719
17	285/65R17	116	H			C	C	72	B			443009
18	225/60R18	100	H			C	C	71	B			441893
18	235/55R18	104	V		XL	C	C	72	B			442576
18	235/60R18	107	V		XL	C	C	72	B			442592
18	245/60R18	105	H			C	C	71	B			442604
18	255/55R18	105	V			C	C	72	B			442620
18	255/70R18	116	H		XL	B	C	72	B	YES		737856
18	265/60R18	110	H			C	C	72	B			442638
18	265/70R18	116	T			C	C	72	B			442651
18	275/65R18	116	H		XL	B	C	73	B	YES		737857
18	285/60R18	116	V			B	C	73	B	YES		737861
18	285/60R18	116	H			B	C	73	B	YES		737862
19	235/55R19	101	V			C	C	71	B			442581
19	235/55R19	105	V		XL	C	C	71	B	YES		443032
19	255/50R19	103	V			C	C	72	B			442616
20	225/35R20	90	W		XL	C	C	71	B			441879
20	245/45R20	103	W		XL	C	C	72	B			442601
20	245/50R20	105	V		XL	B	C	72	B	YES		737855
20	255/50R20	109	V		XL	B	C	72	B	YES		737852
20	255/55R20	110	V		XL	B	C	72	B	YES		737853
20	275/55R20	113	H			C	C	72	B			442655
20	275/60R20	115	S			C	C	72	B			442684
21	275/50R21	113	W		XL	B	C	73	B	YES		1137328
22	275/40ZR22	107	Y		XL	B	C	72	B	YES		443025

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

C01

LTC

Optimized for performance on wet and dry road conditions, the C01 offers improved wear resistance for a longer tread life.



WEAR RESISTANCE



HANDLING



PUNCTURE RESISTANT



RESILIENT



GREATER SERVICEABILITY

The s-shaped grooves and ribs efficiently drain water and reduce stone retention.



LONGER LIFE

Optimized tread block design improves ground contact area and evenly distributes pressure to help promote even tread wear.



ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	6.50R15LT	106/101	N	10PR		D	C	70	B			445020
15	7.00R15LT	109/105	N	10PR		D	C	70	B			445045
16	6.50R16LT	107/102	N	10PR		D	C	70	B			445084
16	7.00R16LT	115/110	N	12PR		D	C	70	B			445063

C02

LTC

Optimized for commercial vehicles, the C02 offers exceptional load bearing performance, extended tyre life, and improved driving comfort.



WEAR RESISTANCE



HANDLING



PUNCTURE RESISTANT



RESILIENT




SUMMER PERFORMANCE

Tread pattern is designed for excellent performance and driving comfort on both wet and dry roads.



CARRYING CAPACITY

A new profile design and strengthened carcass improve the tyre's overall load bearing capabilities.



OVERALL PERFORMANCE

Wide and deep grooves increase wear resistance, efficiently drain water, and provide greater handling and driving stability.



ROADX TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
12	145R12C	86/84	P	8PR		D	B	72	B			445817
12	155R12C	88/86	P	8PR		D	B	72	B			445827
13	155R13C	85/83	Q	6PR		D	B	72	B			445832
13	165/70R13C	88/86	Q	6PR		D	B	72	B			445891
13	165R13C	94/93	S	8PR		D	B	72	B			445911
13	175R13C	97/95	S	8PR		D	B	72	B			445953
14	175/65R14C	90/88	T	6PR		D	B	72	B			445922
14	175/70R14C	95/93	Q	6PR		D	B	72	B			445935
14	175R14C	99/98	Q	8PR		D	B	72	B			445963
14	185R14C	102/100	Q	8PR		C	B	72	B			446016
14	195R14C	106/104	Q	8PR		C	B	72	B			446065
14	195R14C	106/104	Q	8PR		C	B	72	B			446076
14	205/75R14C	109/107	Q	8PR		C	B	72	B			446160
14	205R14C	109/107	R	8PR		C	B	72	B			446174
15	185R15C	103/102	R	8PR		C	B	72	B			446025
15	195/70R15C	104/102	R	8PR		C	B	72	B			446251
15	195R15C	106/104	R	8PR		C	B	72	B			446098
15	195R15C	106/104	R	8PR		C	B	72	B			446103
15	205/65R15C	102/100	R	6PR		C	B	72	B			446125
15	205/70R15C	106/104	R	8PR		C	B	72	B			446147
15	215/65R15C	104/102	T	6PR		C	B	70	B			965136
15	215/70R15C	109/107	S	8PR		C	B	72	B			446195
15	215R15C	109/107	R	8PR		C	B	72	B			446209
15	225/70R15C	112/110	R	8PR		C	B	72	B			446216
16	175R16C	101/99	R	8PR		D	B	72	B			445968
16	185/75R16C	104/102	R	8PR		C	B	72	B			445993
16	195/60R16C	99/97	T	6PR		C	B	72	B			446035
16	195/60R16C	99/97	H	6PR		C	B	72	B			446244
16	195/65R16C	104/102	R	8PR		C	B	72	B			446246
16	195/75R16C	107/105	R	8PR		C	B	72	B			446045
16	205/65R16C	107/105	R	8PR		C	B	72	B			446141
16	205/75R16C	110/108	R	8PR		C	B	72	B			446171
16	205/75R16C	113/111	R	10PR		C	B	72	B			1091896
16	205R16C	110/108	R	8PR		C	B	72	B			446180
16	215/60R16C	103/101	T	6PR		C	B	72	B			446183
16	215/65R16C	109/107	R	8PR		C	B	72	B			446187
16	215/70R16C	108/106	Q	6PR		C	B	72	B			446200
16	215/75R16C	116/114	R	10PR		C	B	72	B			446207
16	225/65R16C	112/110	R	8PR		C	B	72	B			446212
16	225/75R16C	121/120	R	10PR		C	B	72	B			446226
16	235/65R16C	115/113	R	8PR		C	B	72	B			446229
16	235/65R16C	121/119	R	10PR		C	B	72	B			446231
16	285/65R16C	128	R	10PR		B	B	72	B			446241
17	215/60R17C	109/107	T	8PR		C	B	70	B			965067
17	225/55R17C	109/107	H	8PR		C	B	70	B			1066122
17	225/70R17C	112/110	R	6PR		C	B	72	B			446220

1inch=25.4mm | 1kPa=0.142psi | 1KG=2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

BSW Black Sidewall

RXQUEST

NEW!

CARGOMAX

VAN

Durable summer van tyre for commercial vans.



WEAR RESISTANCE



HANDLING



PUNCTURE RESISTANT



RESILIENT



STRENGTHENED SIDEWALL CONSTRUCTION ENHANCES DURABILITY AND STABILITY.

Enhanced sidewall protection design reinforces impact and puncture resistance elevating safety and reducing tyre fail.

FLAT TREAD CONTOUR MAXIMIZES CONTACT AREA, EXTENDING TYRE LIFE AND MILEAGE.

Refined the internal design to bolster bead rigidity, minimize heat buildup, and enhance tyre durability.

IMPRESSIVE CLASS-LEADING WET GRIP.

Advanced tread compound ensures exceptional wet weather performance.

LOW NOISE AND INCREASED COMFORT.

Modern pattern design minimizes noise, elevates driving comfort, and lessens environmental impact.

ROAD X TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	175/65R14C	90/88	T	6PR						N	N	
15	195/70R15C	104/102	R	8PR						N	N	
15	215/65R15C	104/102	T	6PR						N	N	
15	205/65R15C	102/100	T	6PR						N	N	
15	225/70R15C	112/110	S	8PR						N	N	
15	215/70R15C	109/107	S	8PR						N	N	
15	205/70R15C	106/104	R	8PR						N	N	
16	235/65R16C	121/119	R	10PR						N	N	
16	205/65R16C	107/105	T	8PR						N	N	
16	215/65R16C	109/107	T	8PR						N	N	
16	225/75R16C	121/120	R	10PR						N	N	
16	195/75R16C	110/108	R	10PR						N	N	
16	205/75R16C	113/111	T	10PR						N	N	
16	195/65R16C	104/102	T	8PR						N	N	
16	215/60R16C	103/101	T	6PR						N	N	
16	225/65R16C	112/110	T	8PR						N	N	
16	215/75R16C	116/114	R	10PR						N	N	
16	195/60R16C	99/97	H	6PR						N	N	
17	225/55R17C	109/107	H	8PR						N	N	
17	215/60R17C	109/107	T	8PR						N	N	
17	235/60R17C	117/115	R	10PR						N	N	

Available soon

AT21

SUV-AT

An all weather tyre offering exceptional off-road performance, reduced noise emissions for better driving comfort, and excellent load bearing capabilities.



WEAR RESISTANCE



CROSS-COUNTRY



PUNCTURE RESISTANT



RESILIENT



WET PERFORMANCE

Tread block sipes break through water film and grip snow while tread grooves expel water and snow to offer exceptional wet performance.

SAFETY

Optimized tread contour, wide tread and square shoulder design help to improve overall driving safety.

ON-ROAD PERFORMANCE

Stepped tread block edges effectively reduce stone retention, noise emissions, and improve tyre contact area for better driving responsiveness and comfort.

OFF-ROAD PERFORMANCE

Aggressive shoulder design increases off-road bite while also protecting the rim so you can take on any trail with confidence.



Stepped tread block edges effectively reduce stone retention, reduce noise emissions, and improve tyre contact area for exceptional braking and traction on dry surfaces.

The protruding sidewall blocks protect the tyre in extreme off-road conditions while also offering extra traction in mud.



ROAD X TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	215/75R15	100	T			D	D	72	B	YES	YES	1427307
15	235/75R15	109	T		XL	C	D	72	B	YES	YES	1427325
15	31x10.50R15LT	109	S	6PR		D	B	72	B	YES	YES	1427254
15	LT215/75R15	100/97	S	6PR		D	B	72	B	YES	YES	1427256
16	205R16C	110/108	S	8PR		D	B	72	B	YES	YES	1427255
16	215/70R16	100	T			D	D	72	B			1427320
16	235/70R16	106	T			D	D	72	B	YES	YES	1427312
16	245/70R16	111	H		XL	C	D	72	B			1427322
16	245/75R16	111	T			D	D	72	B			1427318
16	265/70R16	112	H			C	D	73	B	YES	YES	1427315
16	LT225/75R16	115/112	S	10PR		C	B	72	B			1427259
16	LT235/85R16	120/116	S	10PR		D	B	72	B			1427260
16	LT245/70R16	113/110	S	8PR		D	B	72	B			1427257
16	LT245/75R16	120/116	S	10PR		C	B	72	B			1427258
16	LT265/75R16	123/120	S	10PR		D	B	72	B	YES	YES	1427261
17	225/65R17	102	H			D	D	72	B			1427319
17	235/65R17	108	H		XL	C	D	72	B			1427321
17	245/65R17	111	H		XL	C	D	72	B	YES	YES	1427314
17	265/65R17	112	H			C	D	73	B	YES	YES	1427416
18	265/60R18	110	T			C	D	73	B			1427367
20	265/50R20	111	T		XL	B	D	73	B			1427316
20	275/55R20	117	T		XL	B	D	73	B	YES		1427310

1inch=25.4mm | 1kPa=0.142psi | 1KG=2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

SBL: Serrated Black Letter

OWL: Outlined White Letter

M/T

SUV

Specially designed for cross-country enthusiasts.



TRAVERSABLE



CROSS-COUNTRY



HIGH DURABILITY



PUNCTURE RESISTANT



RESILIENT



TOUGHNESS

The shield design which extends onto the sidewall protects from abrasions and increases traction on muddy roads.



OFF-ROAD GRIP

Deepend grooves effectively discharges mud and allows for better grip on both muddy and rocky roads.



OFF-ROAD HANDLING

Large shoulder blocks greatly enhance handling on muddy and rocky roads.

ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	30×9.50R15LT	104	Q	6PR		POR	POR	POR	POR	YES		
15	31×10.50R15LT	109	Q	6PR		POR	POR	POR	POR	YES		
15	33×12.50R15LT	108	Q	6PR		POR	POR	POR	POR	YES		
15	35×12.50R15LT	113	Q	6PR		POR	POR	POR	POR	YES		
15	LT235/75R15	104/101	Q	6PR		POR	POR	POR	POR	YES		
16	LT235/85R16	120/116	Q	10PR		POR	POR	POR	POR	YES		
16	LT245/75R16	120/116	Q	10PR		POR	POR	POR	POR	YES		
17	33×12.50R17LT	114	Q	8PR		POR	POR	POR	POR	YES		
17	35×12.50R17LT	121	Q	10PR		POR	POR	POR	POR	YES		
17	LT265/70R17	121/118	Q	10PR		POR	POR	POR	POR	YES		
17	LT285/70R17	121/118	Q	10PR		POR	POR	POR	POR	YES		
18	33×12.50R18LT	118	Q	10PR		POR	POR	POR	POR	YES		
20	33×12.50R20LT	114	Q	10PR		POR	POR	POR	POR	YES		
20	35×12.50R20LT	121	Q	10PR		POR	POR	POR	POR	YES		
20	LT305/55R20	121/118	Q	10PR		POR	POR	POR	POR	YES		

1inch=25.4mm | 1kPa=0.142psi | 1KG=2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

OWL: Outlined White Letter

4S

ALL-SEASON

Innovative high performance tyre that combines comfort and fuel economy.



SKID RESISTANT



SNOW TRACTION



HANDLING



COMFORT



3PMSF



SAFETY

A unique sipe design greatly improves grip and braking responsiveness.

DRIVING COMFORT

Tread design is optimized for a comfortable drive year-round.

OVERALL PERFORMANCE

Tread grooves improve overall handling and driving stability.



INNER PATTERN

Improved handling in snow and rain.

OUTER PATTERN

Handling performance and stability in dry conditions.

ROAD X TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/70R13	75	T			D	C	71	B	YES	YES	429802
13	155/80R13	79	T			D	C	71	B	YES	YES	429815
14	155/65R14	75	T			D	C	71	B	YES	YES	429780
14	165/60R14	79	H		XL	D	C	71	B	YES	YES	429819
14	165/65R14	79	T			D	C	71	B	YES	YES	429807
14	165/70R14	85	T		XL	D	C	71	B	YES	YES	429788
14	175/65R14	82	T			D	C	71	B	YES	YES	429298
14	175/70R14	84	T			D	C	71	B	YES	YES	429822
14	175/70R14	88	T		XL	D	C	71	B	YES	YES	429826
14	185/60R14	82	T			D	C	71	B	YES	YES	429791
14	185/65R14	86	T			D	C	71	B	YES	YES	429804
15	175/65R15	84	H			D	C	71	B	YES	YES	429830
15	185/55R15	82	H			D	C	71	B	YES	YES	429834
15	185/60R15	88	H		XL	D	C	71	B	YES	YES	429772
15	185/65R15	88	H			D	C	71	B	YES	YES	429769
15	185/65R15	92	T		XL	D	C	71	B	YES	YES	429871
15	195/50R15	82	H			D	C	71	B	YES	YES	429797
15	195/55R15	85	H			D	C	71	B	YES	YES	429800
15	195/60R15	88	H			D	C	71	B	YES	YES	429785
15	195/65R15	91	H			D	C	71	B	YES	YES	429776
16	195/55R16	87	V			D	C	71	B	YES	YES	429837
16	195/55R16	91	V		XL	D	C	72	B	YES	YES	1420424
16	205/45R16	87	V		XL	D	C	71	B	YES	YES	429838
16	205/55R16	94	H		XL	D	B	71	B	YES	YES	429293
16	205/55R16	94	V		XL	D	B	71	B	YES	YES	429299
16	205/60R16	96	V		XL	D	B	72	B	YES	YES	429848
16	215/55R16	97	V		XL	D	B	72	B	YES	YES	429852
16	215/60R16	99	V		XL	C	B	72	B	YES	YES	429854
16	225/55R16	99	V		XL	C	B	72	B	YES	YES	429858
17	205/50R17	93	V		XL	D	C	71	B	YES	YES	429863
17	225/45R17	94	V		XL	D	B	72	B	YES	YES	429810
17	225/45R17	94	Y		XL	D	B	72	B	YES	YES	1420456
17	225/50R17	98	V		XL	C	B	72	B	YES	YES	429867
17	225/50R17	98	Y		XL	C	B	72	B	YES	YES	1420472

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

VAN 4S LTC

The VAN 4S is an all-season tyre created specifically for commercial applications.



WEAR RESISTANCE



HANDLING



PUNCTURE RESISTANT



RESILIENT



WET PERFORMANCE

Main tread grooves help to maximize traction and offers excellent water draining on wet roads.



SNOW PERFORMANCE

The multi-angle tread block sipes improve traction in snow and mud.



DRIVING COMFORT

Channels built between the tread blocks reduce tyre vibrations for less noise emissions and improved driving comfort.



SERVICE LIFE

Extra wide shoulders promote even tread wear and improve high-speed stability.



ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	195/70R15C	104/102	T	8PR		D	C	71	B	YES	YES	1281744
15	205/65R15C	102/100	T	6PR		D	C	71	B	YES	YES	1281732
15	205/70R15C	106/104	T	8PR		C	C	71	B	YES	YES	1281727
15	215/70R15C	109/107	T	8PR		C	C	71	B	YES	YES	1281901
15	225/70R15C	112/110	T	8PR		C	C	71	B	YES	YES	1281747
16	195/60R16C	99/97	H	6PR		D	C	71	B	YES	YES	1281650
16	195/65R16C	104/102	T	8PR		D	C	71	B	YES	YES	1281906
16	195/75R16C	107/105	T	8PR		C	C	71	B	YES	YES	1281909
16	205/65R16C	107/105	T	8PR		C	C	71	B	YES	YES	1281752
16	205/75R16C	110/108	T	8PR		C	C	71	B	YES	YES	1281647
16	215/65R16C	109/107	T	8PR		C	C	71	B	YES	YES	1281913
16	215/75R16C	113/111	T	8PR		C	C	71	B	YES	YES	1281914
16	225/65R16C	112/110	T	8PR		C	C	71	B	YES	YES	1281738
16	235/65R16C	115/113	T	8PR		C	C	71	B	YES	YES	1281735

1inch=25.4mm | 1kPa=0.142psi | 1KG=2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

BSW Black Sidewall

WU01

WINTER UHP STUDLESS

WU01 is equipped with a special tread compound and wide tread that offers excellent performance on ice and snow.



SNOW GRIP



SKID RESISTANT



LOW TEMPERATURE



HANDLING



3PMSF



WINTER SAFETY

The tread maintains softness in low temperatures to ensure passenger safety while serrated sipes improve grip on ice and snow.

WINTER PERFORMANCE

Three main grooves provide great handling in extreme winter weather conditions by efficiently draining snow and ice.



WINTER GRIP

The sides of the main grooves are equipped with a serrated design that helps improve grip on ice and snow.



ROADX TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
15	195/65R15	95	T		XL	D	C	72	B	YES	YES	442817
15	205/65R15	94	H			D	C	72	B	YES	YES	442825
16	205/55R16	91	H			D	C	72	B	YES	YES	442831
16	215/55R16	97	H		XL	D	C	72	B	YES	YES	442837
16	215/60R16	99	H		XL	D	C	72	B	YES	YES	442840
16	215/65R16	98	H			D	C	72	B	YES	YES	442842
16	225/55R16	99	H		XL	D	C	72	B	YES	YES	442856
16	225/60R16	98	H			D	C	72	B	YES	YES	442861
17	205/45R17	88	H		XL	E	C	72	B	YES	YES	442886
17	205/45R17	88	V		XL	D	C	72	B	YES	YES	442921
17	205/50R17	89	H			D	C	72	B	YES	YES	442879
17	205/50R17	89	V			D	C	72	B	YES	YES	442926
17	205/55R17	95	H		XL	D	C	72	B	YES	YES	442980
17	215/45R17	87	H			D	C	72	B	YES	YES	442866
17	215/45R17	87	V			D	C	72	B	YES	YES	442942
17	215/55R17	94	H			D	C	72	B	YES	YES	442885
17	215/55R17	94	V			D	C	72	B	YES	YES	442938
17	225/45R17	91	H			D	C	72	B	YES	YES	442883
17	225/45R17	91	V			D	C	72	B	YES	YES	442930
17	225/50R17	98	H		XL	D	C	72	B	YES	YES	442912
17	225/50R17	98	V		XL	D	C	72	B	YES	YES	442914
17	225/55R17	97	H			D	C	72	B	YES	YES	442887
17	225/55R17	97	V			D	C	72	B	YES	YES	442933
17	225/65R17	102	S			D	C	72	B	YES	YES	442890
17	225/65R17	102	T			D	C	72	B	YES	YES	442936
17	235/45R17	94	H			D	C	72	B	YES	YES	442888
17	235/45R17	94	V			D	C	72	B	YES	YES	442941
17	235/55R17	99	H			D	C	72	B	YES	YES	442894
17	235/65R17	104	S			D	C	72	B	YES	YES	442909
17	265/65R17	112	S			C	C	72	B	YES	YES	443064
18	215/55R18	99	H		XL	D	C	72	B	YES	YES	442986
18	225/40R18	92	H		XL	D	C	72	B	YES	YES	442947
18	235/40R18	95	V		XL	D	C	72	B	YES	YES	443007
18	235/45R18	98	H		XL	D	C	72	B	YES	YES	443020
18	235/55R18	104	H		XL	D	C	72	B	YES	YES	442989
18	245/40R18	97	H		XL	D	C	72	B	YES	YES	443028
18	245/45R18	100	H		XL	D	C	72	B	YES	YES	443037
18	255/55R18	109	H		XL	C	C	72	B	YES	YES	443056
19	225/40R19	93	V		XL	D	C	72	B	YES	YES	442978
19	245/40R19	98	H		XL	D	C	72	B	YES	YES	442992
19	245/55R19	103	V			D	C	72	B	YES	YES	442954
19	245/55R19	103	H			D	C	72	B	YES	YES	443049
19	255/35R19	96	H		XL	D	C	72	B	YES	YES	443001
19	255/40R19	100	V		XL	D	C	72	B	YES	YES	443012
19	255/50R19	107	H		XL	C	C	73	B	YES	YES	442950
19	275/35R19	100	H		XL	C	C	73	B	YES	YES	442960
20	275/40R20	106	V		XL	B	C	73	B	YES	YES	442963
20	275/45R20	110	V		XL	C	C	73	B	YES	YES	442964
21	295/35R21	107	V		XL	C	C	74	B	YES	YES	442973

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

ARCTIC

WINTER HP STUDLESS

This studless winter tyre is equipped with a dedicated winter compound and tread design that help improve handling and grip, thus offering piece of mind when driving on ice and snow.



SNOW GRIP



SKID RESISTANT



SNOW TRACTION



LOW TEMPERATURE



3PMSF



IMPROVED GRIP

Fine tread sipes effectively improve the tyre's flexibility and ground contact area. This improves grip and handling performance thus offering better driving safety in wet and winter conditions.



WINTER SAFETY

The upper portion of the sidewall sports a fang-like design that bites into snow. This design overall helps to enhance grip in snow, reduce the occurrence of side-skidding, and improve overall driving safety.



WINTER PERFORMANCE

Specially designed winter rubber compound helps maintain tyre softness and flexibility for exceptional grip on ice and snow, while also reducing rolling resistance for a longer tyre life.

ASYMMETRIC PATTERN

Inner tread elements are equipped with long horizontal tread grooves that improve traction performance while outer tread elements boast large tread blocks that help maintain steady handling and grip while turning.





ROAD X TYRE

Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	175/70R13	82	T			D	C	70	B	YES	YES	
14	175/65R14	82	T			D	C	70	B	YES	YES	
14	175/70R14	84	T			D	C	70	B	YES	YES	
14	185/60R14	82	T			D	C	70	B	YES	YES	
14	185/65R14	86	T			D	C	70	B	YES	YES	
14	185/70R14	88	T			C	C	70	B	YES	YES	
14	195/60R14	86	T			C	C	71	B	YES	YES	
15	185/60R15	84	T			C	C	70	B	YES	YES	
15	185/65R15	88	T			D	C	70	B	YES	YES	
15	195/55R15	85	H			C	C	71	B	YES	YES	
15	195/60R15	88	H			D	C	71	B	YES	YES	
15	195/65R15	91	T			C	C	71	B	YES	YES	
15	205/65R15	94	H			C	C	71	B	YES	YES	
15	205/70R15	96	T			C	C	71	B	YES	YES	
16	195/50R16	88	H		XL	C	C	71	B	YES	YES	
16	195/55R16	87	H			C	C	71	B	YES	YES	
16	195/60R16	89	H			C	C	71	B	YES	YES	
16	205/55R16	91	H			C	C	71	B	YES	YES	
16	205/60R16	92	H			C	C	71	B	YES	YES	
16	215/55R16	93	H			C	C	71	B	YES	YES	
16	215/60R16	95	H			C	C	71	B	YES	YES	
16	215/65R16	98	T			C	C	71	B	YES	YES	
16	215/70R16	100	S			C	C	71	B	YES	YES	
16	225/70R16	103	S			C	C	71	B	YES	YES	
17	205/50R17	89	H			C	C	71	B	YES	YES	
17	215/45R17	87	H			D	C	71	B	YES	YES	
17	215/50R17	91	H			C	C	71	B	YES	YES	
17	215/55R17	94	H			C	C	71	B	YES	YES	
17	215/60R17	96	H			C	C	71	B	YES	YES	
17	225/45R17	91	H			C	C	71	B	YES	YES	
17	225/50R17	98	H		XL	C	C	71	B	YES	YES	
17	225/55R17	97	H			C	C	71	B	YES	YES	
17	225/55RF17	101	H		XL	D	C	71	B	YES	YES	
17	225/60R17	99	H			C	C	71	B	YES	YES	
17	225/65R17	102	S			C	C	71	B	YES	YES	
17	235/45R17	94	H			C	C	71	B	YES	YES	
17	235/65R17	104	S			C	C	71	B	YES	YES	
18	215/55R18	99	H		XL	C	C	71	B	YES	YES	
18	235/55R18	104	H		XL	C	C	71	B	YES	YES	
18	235/60R18	103	H			C	C	71	B	YES	YES	
18	245/45R18	100	H		XL	C	C	71	B	YES	YES	
18	245/45RF18	100	H		XL	D	C	71	B	YES	YES	

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

WH01

WINTER HP STUDLESS

Designed to offer excellent performance in winter weather conditions.



SKID RESISTANT



SNOW TRACTION



LOW TEMPERATURE



COMFORT



3PMSF



FUEL EFFICIENCY

The special tread compound reduces rolling resistance for better fuel efficiency.

WINTER PERFORMANCE

A reinforced center rib improves handling and high speed performance while multiple sipes enhance grip and braking capabilities on snow and ice.

WINTER SAFETY

Zig-zag grooves improve the tyre's self-cleaning capabilities for a safer drive on snow and ice.



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/65R13	73	T			E	D	71	B	YES	YES	441609
13	155/70R13	75	T			E	D	71	B	YES	YES	441622
13	165/70R13	79	T			E	D	71	B	YES	YES	441627
13	165/70R13	83	T		XL	E	D	71	B	YES	YES	441635
13	175/70R13	82	T			E	D	71	B	YES	YES	441655
14	165/65R14	79	T			E	D	71	B	YES	YES	441741
14	165/70R14	81	T			E	D	71	B	YES	YES	441757
14	165/70R14	85	T		XL	D	D	71	B	YES	YES	441767
14	175/65R14	82	H			E	D	71	B	YES	YES	441705
14	175/65R14	86	T		XL	D	D	71	B	YES	YES	441853
14	175/70R14	84	T			D	D	71	B	YES	YES	441780
14	175/70R14	88	T		XL	D	D	71	B	YES	YES	441802
14	185/60R14	82	T			E	D	71	B	YES	YES	441718
14	185/60R14	82	H			E	D	71	B	YES	YES	442711
14	185/65R14	86	T			D	D	71	B	YES	YES	441671
14	185/65R14	86	H			D	D	71	B	YES	YES	442724

ROAD X TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	185/70R14	92	T		XL	D	D	71	B	YES	YES	441814
14	185/70R14	88	H			D	D	71	B	YES	YES	441862
14	195/70R14	91	H			D	D	72	B	YES	YES	441825
14	195/70R14	95	T		XL	D	D	72	B	YES	YES	441868
14	205/70R14	98	T		XL	D	C	72	B	YES	YES	441842
14	205/70R14	98	H		XL	D	C	72	B			443201
15	175/65R15	84	H			D	D	71	B	YES	YES	442761
15	175/65R15	88	H		XL	D	D	71	B	YES	YES	442792
15	185/55R15	86	H		XL	D	D	71	B	YES	YES	442765
15	185/60R15	88	H		XL	D	D	71	B	YES	YES	442768
15	185/60R15	88	T		XL	D	D	71	B	YES	YES	442797
15	185/60R15	84	H			D	D	71	B	YES	YES	442800
15	185/65R15	88	T			D	D	71	B	YES	YES	442757
15	185/65R15	92	T		XL	D	D	71	B	YES	YES	442807
15	185/65R15	88	H			D	D	71	B	YES	YES	442820
15	185/65R15	92	H		XL	D	D	71	B	YES	YES	442851
15	195/50R15	86	H		XL	D	D	72	B	YES	YES	442778
15	195/50R15	86	V		XL	D	D	72	B	YES	YES	442830
15	195/55R15	85	H			D	D	72	B	YES	YES	442731
15	195/60R15	88	T			D	D	72	B	YES	YES	442782
15	195/60R15	88	H			D	D	72	B	YES	YES	442834
15	195/65R15	91	T			D	D	72	B	YES	YES	442736
15	195/65R15	95	T		XL	D	D	72	B	YES	YES	442745
15	195/65R15	91	H			D	D	72	B	YES	YES	442841
15	205/60R15	91	H			D	C	72	B	YES	YES	442788
15	205/65R15	94	H			D	C	72	B	YES	YES	442747
15	215/65R15	96	H			D	C	72	B	YES	YES	442774
16	195/45R16	84	H		XL	D	D	72	B	YES	YES	443103
16	195/55R16	87	H			D	D	72	B	YES	YES	443005
16	195/55R16	87	V			D	D	72	B	YES	YES	443162
16	205/45R16	87	H		XL	D	C	72	B	YES	YES	443126
16	205/45R16	87	V		XL	E	C	72	B	YES	YES	443192
16	205/50R16	87	H			D	C	72	B	YES	YES	442928
16	205/55R16	91	H			D	C	72	B	YES	YES	442934
16	205/55R16	94	H		XL	D	C	72	B	YES	YES	442939
16	205/55R16	94	V		XL	D	C	72	B	YES	YES	443168
16	205/60R16	96	H		XL	D	C	72	B	YES	YES	443013
16	205/65R16	95	H			D	C	72	B	YES	YES	443136
16	215/55R16	97	H		XL	D	C	72	B	YES	YES	443030
16	215/55R16	97	V		XL	D	C	72	B	YES	YES	443173
16	215/60R16	99	H		XL	D	C	72	B	YES	YES	442916
16	215/65R16	98	H			D	C	72	B	YES	YES	442923
16	225/55R16	99	H		XL	D	C	72	B	YES	YES	443082
16	225/60R16	98	H			D	C	72	B	YES	YES	443021
16	245/70R16	107	T			D	C	72	B	YES	YES	443145

WH03

WINTER HP STUDLESS

The WH03 is designed to greatly improve traction, handling, and driving stability for greater overall safety when driving in winter.



SKID RESISTANT



SNOW TRACTION



LOW TEMPERATURE



HANDLING



3PMSF



WINTER GRIP

Large tread blocks and small sipes work together to increase overall grip for more efficient traction and braking on ice.



WINTER SAFETY

The 90 degree angle shoulder improves anti-skid performance for overall increased safety on ice and snow.

DRIVING STABILITY

The j-like shoulder design improves grip and driving stability.



ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/65R13	73	T			E	D	71	B	YES	YES	443259
13	155/70R13	75	T			E	D	71	B	YES	YES	443268
13	165/70R13	83	T		XL	D	D	71	B	YES	YES	443284
13	175/70R13	82	T			D	D	71	B	YES	YES	443277
14	165/70R14	85	T		XL	D	D	71	B	YES	YES	443336
14	175/65R14	82	H			D	D	71	B	YES	YES	443342
14	175/70R14	88	T		XL	D	D	71	B	YES	YES	443358
14	185/60R14	82	T			D	D	71	B	YES	YES	443350
14	185/65R14	86	T			D	D	71	B	YES	YES	443298
14	185/70R14	88	H			D	D	71	B	YES	YES	443291
14	195/60R14	86	T			D	D	72	B	YES	YES	443352
14	195/65R14	89	T			C	D	72	B	YES	YES	443941
14	195/70R14	91	H			C	D	72	B	YES	YES	443309
14	205/70R14	98	H		XL	C	D	72	B	YES	YES	443960
15	185/55R15	86	H		XL	D	D	71	B	YES	YES	443884
15	185/60R15	88	H		XL	D	D	71	B	YES	YES	443888
15	185/65R15	88	T			D	D	71	B	YES	YES	443896
15	195/55R15	85	H			D	D	72	B	YES	YES	443877
15	195/60R15	88	T			D	D	72	B	YES	YES	443911
15	195/65R15	91	T			C	D	72	B	YES	YES	443904
15	205/65R15	94	H			C	D	72	B	YES	YES	443954
15	205/70R15	96	T			C	D	72	B	YES	YES	443966
15	215/65R15	96	H			C	D	72	B	YES	YES	443987
15	215/70R15	98	T			C	D	72	B	YES	YES	443993
15	215/75R15	100	S			C	D	72	B	YES	YES	444000
15	235/75R15	109	S		XL	C	C	72	B	YES	YES	444011
16	205/55R16	91	H			C	D	72	B	YES	YES	443948
16	205/60R16	96	H		XL	C	D	72	B	YES	YES	443926
16	215/60R16	99	H		XL	C	D	72	B	YES	YES	443976
16	215/65R16	98	H			C	D	72	B	YES	YES	443932
17	215/55R17	94	H			C	D	72	B	YES	YES	443222
17	235/45R17	94	H			C	C	72	B	YES	YES	444003
18	235/60R18	107	T		XL	C	C	72	B	YES	YES	444008

1inch=25.4mm | 1kPa=0.142psi | 1KG≈2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

WH12

WINTER HP STUDDABLE

The WH12 is a studdable winter tyre designed for drivers that demand maximum traction in severe winter weather conditions, letting you outperform the elements to get more out of the winter season.



SNOW GRIP



SKID RESISTANT



SNOW TRACTION



LOW TEMPERATURE



3PMSF



V-SHAPED TREAD DESIGN

Improved grip on ice and snow, skid resistance, and effectively reduces noise emissions.



SIPE DESIGN

Optimized sipe design ensures great grip on ice and snow.

IMPROVED STUDED TECHNOLOGY

12 rows of studs are designed to maximize grip and traction performance for safer driving in winter weather.



SPECIAL BUFFER LAYER

Special rubber buffer layer at the bottom of the stud absorbs the impact force of snow to prevent studs from falling out.



INNOVATIVE SQUARE DESIGN

Increases the ground contact area of the tyre to effectively improve grip performance and increase skid resistance.





Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
13	155/70R13	75	T			E	D	71	B	YES	YES	441201
13	155/80R13	79	T			E	D	71	B	YES	YES	441285
13	165/70R13	79	T			E	D	71	B	YES	YES	441326
13	175/70R13	82	T			E	D	71	B	YES	YES	441356
14	155/65R14	75	T			E	D	71	B	YES	YES	441248
14	165/65R14	79	T			E	D	71	B	YES	YES	441345
14	175/65R14	82	T			E	D	71	B	YES	YES	441370
14	175/70R14	84	T			E	D	71	B	YES	YES	441384
14	185/60R14	82	T			E	D	71	B	YES	YES	441392
14	185/65R14	86	T			D	D	71	B	YES	YES	441404
14	185/70R14	88	T			D	D	71	B	YES	YES	441424
15	175/65R15	84	T			E	D	71	B	YES	YES	441851
15	185/55R15	82	T			E	D	71	B	YES	YES	441445
15	185/60R15	84	T			E	D	71	B	YES	YES	441412
15	185/65R15	88	T			D	D	71	B	YES	YES	441434
15	195/60R15	88	T			D	D	72	B	YES	YES	441468
15	195/65R15	91	T			D	D	72	B	YES	YES	441493
15	205/65R15	94	T			D	D	72	B	YES	YES	441503
15	205/70R15	96	T			D	D	72	B	YES	YES	443963
15	215/65R15	96	T			D	D	72	B	YES	YES	441592
15	215/70R15	98	T			D	D	72	B	YES	YES	441553
15	235/75R15	105	S			C	D	72	B	YES	YES	442591
16	205/50R16	87	T			D	D	72	B	YES	YES	442730
16	205/55R16	91	T			D	D	72	B	YES	YES	441524
16	205/60R16	92	T			D	D	72	B	YES	YES	441513
16	205/65R16	95	T			D	D	72	B	YES	YES	442583
16	215/55R16	97	H		XL	D	D	72	B	YES	YES	441576
16	215/60R16	95	T			D	D	72	B	YES	YES	441566
16	215/65R16	98	T			D	D	72	B	YES	YES	441664
16	215/70R16	100	T			D	D	72	B	YES	YES	442580
16	225/60R16	98	T			D	D	72	B	YES	YES	441539
16	225/65R16	100	T			D	D	72	B	YES	YES	441878
16	225/70R16	103	H			D	D	72	B	YES	YES	442598
16	235/70R16	106	T			C	D	72	B	YES	YES	442602
16	245/70R16	107	T			C	D	72	B	YES	YES	442643
16	245/75R16	111	S			C	D	72	B	YES	YES	442654
17	215/45R17	91	T		XL	D	D	72	B	YES	YES	442698
17	215/50R17	95	T		XL	D	D	72	B	YES	YES	442586
17	215/55R17	94	T			D	D	72	B	YES	YES	442678
17	215/60R17	96	H			D	D	72	B	YES	YES	441457
17	215/65R17	99	T			D	D	72	B	YES	YES	442670
17	225/45R17	94	H		XL	D	D	72	B	YES	YES	441607
17	225/50R17	98	H		XL	D	D	72	B	YES	YES	441629
17	225/55R17	97	T			D	D	72	B	YES	YES	442687
17	225/60R17	99	H			D	D	72	B	YES	YES	445828
17	225/65R17	102	S			D	D	72	B	YES	YES	442636
17	235/45R17	97	T		XL	D	D	72	B	YES	YES	442713
17	235/55R17	99	V			D	D	72	B	YES	YES	441789
17	235/60R17	102	H			D	D	72	B	YES	YES	442561
17	235/65R17	104	T			C	D	72	B	YES	YES	442606
17	245/65R17	107	T			C	D	72	B	YES	YES	442664
17	265/65R17	112	T			C	D	73	B	YES	YES	441887
17	265/70R17	115	S			C	D	73	B	YES	YES	442613
18	215/55R18	95	T			D	D	72	B	YES	YES	442750
18	225/40R18	92	H		XL	D	D	72	B	YES	YES	441650
18	225/45R18	95	T		XL	D	D	72	B	YES	YES	442705
18	225/55R18	98	T			D	D	72	B	YES	YES	442565
18	225/60R18	100	T			D	D	72	B	YES	YES	442563
18	235/50R18	101	T		XL	D	D	72	B	YES	YES	442735
18	235/55R18	100	H			D	D	72	B	YES	YES	442691
18	235/60R18	103	H			D	D	72	B	YES	YES	441812
18	245/45R18	100	H		XL	D	D	72	B	YES	YES	442721
18	255/55R18	105	V			C	D	73	B	YES	YES	441830
19	235/55R19	101	H			D	D	72	B	YES	YES	442568
19	255/50R19	107	H		XL	C	D	73	B	YES	YES	442571
20	275/40R20	106	H		XL	C	D	73	B	YES	YES	442577

1inch=25.4mm | 1kPa=0.142psi | 1KG=2.2lbs | XL Extra Load | LI Load Index | SS Speed Symbol

WC01

WINTER LTC STUDLESS

A winter tyre product specifically designed for commercial light trucks.



SNOW GRIP



SKID RESISTANT



SNOW TRACTION



LOW TEMPERATURE



HANDLING



3PMSF



WINTER HANDLING

The wide and jagged groove design efficiently drains snow and water out of the tyre to improve handling in winter weather.

WINTER PERFORMANCE

The intersecting blocks, grooves, and sipes allow for more effective braking on ice and snow.

WINTER BRAKING

The precision cut sipes enhance grip on ice and snow to allow for a safer driving experience.



DRIVING COMFORT

The tread width and block patterns ensure a secure contact with the road surface to improve driving comfort.



ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
12	155R12C	88/86	R	8PR		D	C	71	B	YES	YES	444138
13	155R13C	85/83	R	6PR		D	C	71	B	YES	YES	444240
14	185R14C	102/100	R	8PR		D	C	71	B	YES	YES	444144
14	195R14C	106/104	R	8PR		D	C	71	B	YES	YES	444166
15	195/70R15C	104/102	S	8PR		D	C	71	B	YES	YES	444517
15	195R15C	106/104	R	8PR		D	C	71	B	YES	YES	444271
15	205/70R15C	106/104	S	8PR		D	C	71	B	YES	YES	444291
15	215/70R15C	113/111	S	10PR		D	C	71	B	YES	YES	444529
15	225/70R15C	112/110	S	8PR		D	C	71	B	YES	YES	444314
16	185/75R16C	104/102	R	8PR		D	C	71	B	YES	YES	444253
16	195/60R16C	99/97	T	6PR		C	C	71	B	YES	YES	444105
16	195/65R16C	104/102	T	8PR		D	C	71	B	YES	YES	444338
16	195/75R16C	107/105	R	8PR		C	C	71	B	YES	YES	444262
16	205/65R16C	107/105	T	8PR		D	C	71	B	YES	YES	444282
16	205/75R16C	113/111	R	10PR		C	C	71	B	YES	YES	444207
16	215/60R16C	108/106	T	8PR		D	C	71	B	YES	YES	444302
16	215/65R16C	109/107	T	8PR		D	C	71	B	YES	YES	444310
16	215/75R16C	116/114	R	10PR		D	C	71	B	YES	YES	444223
16	225/65R16C	112/110	T	8PR		D	C	71	B	YES	YES	444537
16	225/75R16C	118/116	R	10PR		D	C	71	B	YES	YES	444326
16	235/65R16C	115/113	R	8PR		D	D	71	B	YES	YES	444114
16	285/65R16C	128	N	10PR		C	D	74	B	YES	YES	444123

WCS01

WINTER LTC STUDDABLE

The WCS01 is a studdable winter tyre designed for drivers that demand maximum traction in severe winter weather conditions, letting you outperform the elements to get more out of the winter season.



SNOW GRIP



SKID RESISTANT



SNOW TRACTION



LOW TEMPERATURE



3PMSF



V-SHAPED TREAD DESIGN

Improved grip on ice and snow, skid resistance, and effectively reduces noise emissions.

SIPE DESIGN

Optimized depth and length of sipes maintain tread rigidity and greatly enhance grip and handling.



IMPROVED STUDED TECHNOLOGY

12 rows of studs are designed to maximize grip and traction performance for safer driving in winter weather.



SPECIAL BUFFER LAYER

Special rubber buffer layer at the bottom of the stud absorbs the impact force of snow to prevent studs from falling out.



INNOVATIVE SQUARE DESIGN

Increases the ground contact area of the tyre to effectively improve grip performance and increase skid resistance.



ROADX TYRE



Rim	Size	LI	SR	PR	XL	Fuel efficiency	Wet Grip	Ext. Rolling Noise	Noise Grade	M+S	3PMSF	EPREL Code
14	175/65R14C	90/88	Q	6PR		D	C	70	A	YES	YES	443924
14	185R14C	102/100	Q	8PR		D	C	70	A	YES	YES	443952
15	195/70R15C	104/102	Q	8PR		D	C	70	A	YES	YES	443967
15	205/70R15C	106/104	R	8PR		C	C	73	B	YES	YES	444048
15	215/70R15C	109/107	R	8PR		C	C	73	B	YES	YES	444060
15	225/70R15C	112/110	Q	8PR		C	C	73	B	YES	YES	443981
16	195/60R16C	99/97	S	6PR		D	C	70	A	YES	YES	444007
16	195/65R16C	104/102	R	8PR		D	C	70	A	YES	YES	444021
16	195/75R16C	107/105	Q	8PR		C	C	70	A	YES	YES	444029
16	205/65R16C	107/105	Q	8PR		C	C	73	B	YES	YES	443995
16	205/75R16C	110/108	R	8PR		C	C	73	B	YES	YES	444052
16	215/65R16C	109/107	R	8PR		C	C	73	B	YES	YES	444012
16	215/75R16C	113/111	R	8PR		C	C	73	B	YES	YES	444068
16	225/65R16C	112/110	R	8PR		C	C	73	B	YES	YES	444079
16	235/65R16C	115/113	R	8PR		C	C	73	B	YES	YES	444036

ROADX
TYRE